AUTO SERIES
BREWERS

Decanters, Airpots, Thermal Carafes

GRINDMASTER™
CORPORATION

www.grindmaster.com

Commercial Brewing Systems

2-Warmer, Automatic Brewer

Model AT-2W

Brews up to 75 oz (2.2L) decanters

(Decanters sold separately)

3-Warmer, Automatic Brewer

Model AT-3WR

Brews 75 oz (2.2L) decanters

(Decanters sold separately)

Airpot, Automatic Brewer

Model AT-AP

Brews up to 75 oz (2.2L) airpot

(Airpot sold separately)

Shown with optional gourmet brew basket (p/n 80004)

Thermal carafe, Automatic Brewer

Model AT-TC

Brews into 64 oz (1.9L) thermal carafe

(Thermal carafe sold separately)

For Serious Coffee Drinkers

Brewers Brew up to 75 ounce (2.2L) Decanters

Brew volume can be adjusted from 24 oz (0.7L) up to 75 oz. (2.2L).

Adjustable Brew Basket Rails

Brew basket rails are adjustable to fit all commercial 64 oz (1.9L) brew baskets.

Pourover Feature

Brewer is equipped with pourover feature allowing the brewer to be used in locations without water connections.

Hot Water Faucet

Brewer is equipped with hot water faucet, for hot chocolate, tea, etc. Drawing water from faucet will not affect brew volume.

Lighted Switches, Water Hot Light

Lighted switches are visible from long distance when energized. Green water hot light signifies brewer has reached optimum brewing temperature.

Water Quick Disconnect

Water tank is equipped with an electrical quick disconnect to allow faster service.

Specification Sheets Available by Model on our Full Line of Auto Series Brewers:

Model AT-AP/AT-APE
(shown with optional gourmet brew basket)

Model AT-3WR/AT-3WRE

Model AT-2W/AT-2WE

Model AT-TC/AT-TCE

Specifications

	AT-AP	AT-3WR	AT-2W	AT-TC
Volts / Watts / Amps	120V / 1780W / 14.8A	120V / 1700W / 14.2A	120V / 1600W / 13.3A	120V / 1780W / 14.8A
Brew Capacity (max)	75 oz (2.2L)	75 oz (2.2L)	75 oz (2.2L)	75 oz (2.2L)
No. of Warmers	0	3	2	0
Machine Dimensions (H x W x D)	24" x 8-1/2" x 16-1/2" (61 cm x 22 cm x 42 cm)	17-3/4" x 15-1/2" x 16-1/2" (45 cm x 39 cm x 42 cm)	19-1/2" x 8-1/2" x 16-1/2" (49 cm x 22 cm x 42 cm)	17-3/4" x 8-1/2" x 16-1/2" (45 cm x 22 cm x 42 cm)
Machine Weight	24 lbs (10.9 kg)	28 lbs (12.7 kg)	24 lbs (10.9 kg)	22 lbs (10 kg)
Ship Dimensions (H x W x D)	28-3/4" x 12-1/2" x 22-1/2" (73 cm x 32 cm x 57 cm)	22-3/4" x 19-3/4" x 22-1/2" (58 cm x 50 cm x 57 cm)	23-1/4" x 12-1/2" x 22-1/2" (59 cm x 32 cm x 57 cm)	23-1/4" x 12-1/2" x 22-1/2" (59 cm x 32 cm x 57 cm)
Ship Weight	31 lbs (14.1 kg)	36 lbs (16.4 kg)	29 lbs (13.2 kg)	28 lbs (12.7 kg)
Listings (pending)	UL, NSF	UL, NSF	UL, NSF	UL, NSF

Specifications are subject to improvement or change without notice.

International Specifications

	AT-APE	AT-3WRE	AT-2WE	AT-TCE
Volts / Watts / Amps	230V / 2300W / 10A	230V / 2630W / 11.4A	230V / 2520W / 11A	230V / 2300W / 10A
Brew Capacity (max)	75 oz (2.2L)	75 oz (2.2L)	75 oz (2.2L)	75 oz (2.2L)
No. of Warmers	0	3	2	0
Machine Dimensions (H x W x D)	24" x 8-1/2" x 16-1/2" (61 cm x 22 cm x 42 cm)	17-3/4" x 15-1/2" x 16-1/2" (45 cm x 39 cm x 42 cm)	19-1/2" x 8-1/2" x 16-1/2" (49 cm x 22 cm x 42 cm)	17-3/4" x 8-1/2" x 16-1/2" (45 cm x 22 cm x 42 cm)
Machine Weight	24 lbs (10.9 kg)	28 lbs (12.7 kg)	24 lbs (10.9 kg)	22 lbs (10 kg)
Ship Dimensions (H x W x D)	28-3/4" x 12-1/2" x 22-1/2" (73 cm x 32 cm x 57 cm)	22-3/4" x 19-3/4" x 22-1/2" (58 cm x 50 cm x 57 cm)	23-1/4" x 12-1/2" x 22-1/2" (59 cm x 32 cm x 57 cm)	23-1/4" x 12-1/2" x 22-1/2" (59 cm x 32 cm x 57 cm)
Ship Weight	31 lbs (14.1 kg)	36 lbs (16.4 kg)	29 lbs (13.2 kg)	28 lbs (12.7 kg)
Listings (pending)	CE, NSF	CE, NSF	CE, NSF	CE, NSF

Specifications are subject to improvement or change without notice.

pending pending pending

GRINDMASTER™
CORPORATION

Tel (502) 425-4776 • Fax (502) 425-4664 • 1-800-695-4500 (USA & Canada only)
www.grindmaster.com • email: info@grindmaster.com

© Grindmaster Corporation, 2007
PRINTED IN USA

0607 Form # BW-275-02